ELSEVIER

Engineering Geology 54 (1999) 333–334

ENGINEERING GEOLOGY

# Author Index Volume 54

Amri, R.M., see Al-Harthi, A.A.313
Al-Harthi, A.A., Al-Amri, R.M. and Shehata, W.M.
The porosity and engineering properties of vesicular basalt in Saudi Arabia313
Alonso, E.E., Vaunat, J. and Gens, A.
Modelling the mechanical behaviour of expansive clays 173

Baumann, J., see Foged, N. 129
Bell, F.G., Culshaw, M.G. and Cripps, J.C.
A review of selected engineering geological characteristics of English Chalk 237
Bjurström, H., see Sjöblom, R. 109
Bors, J., Dultz, S. and Riebe, B.
Retention of radionuclides by organophilic bentonite 195
Brown, R.C.
A multiple front propagation model for gas migration through clay 151

Carretero, M.I., see Galán, E. 287
Chen, J., see Shi, B.321
Cleall, P.J., see Thomas, H.R. 93
Cripps, J.C., see Bell, F.G. 237
Culshaw, M.G., see Bell, F.G. 237

Dultz, S., see Bors, J. 195

Eriksen, T.E., Jansson, M. and Molera, M.
Sorption effects on cation diffusion in compacted bentonite 231

Foged, N. and Baumann, J.
Clay membrane made of natural high plasticity clay: leachate migration due to advection and diffusion 129
Fukue, M., Minato, T., Horibe, H. and Taya, N.
The micro-structures of clay given by resistivity measurements 43

Galán, E., Carretero, M.I. and Mayoral, E.
A methodology for locating the original quarries used for constructing historical buildings: application to Malága Cathedral, Spain 287
Gens, A., see Alonso, E.E. 173
Gens, A., see Romero, E. 117
Grinrod, P.
Session III. Chemical aspects 185

Grindrod, P., Peletier, M. and Takase, H.
Mechanical interaction between swelling compacted clay and fractured rock, and the leaching of clay colloids 159
Grindrod, P., Takase, H. and Wood, G.P.
Modelling silicitation of a clay buffer subject to opposing temperature and hydration gradients 215

Harrington, J.F., see Horseman, S.T. 139
Herbert, H.-J. and Moog, H.C.
Cation exchange, interlayer spacing, and water content of MX-80 bentonite in high molar saline solutions 55
Horibe, H., see Fukue, M. 43
Horseman, S.T., Harrington, J.F. and Sellin, P.
Gas migration in clay barriers 139

Ichikawa, Y., Kawamura, K., Nakano, M., Kitayama, K. and Kawamura, H.
Unified molecular dynamics and homogenization analysis for bentonite behavior: current results and future possibilities 21
Ichikawa, Y., see Kawamura, K. 75
Inyang, H., see Shi, B. 321

Jansson, M., see Eriksen, T.E. 231

Kalbantner, P., see Sjöblom, R. 109
Kamei, G., Oda, C., Mitsui, S., Shibata, M. and Shinozaki, T.
Fe(II)–Na ion exchange at interlayers of smectite: adsorption–desorption experiments and a natural analogue 15
Kawamura, H., see Ichikawa, Y. 21
Kawamura, H., see Kawamura, K. 75
Kawamura, K., Ichikawa, Y., Nakano, M., Kitayama, K. and Kawamura, H.
Swelling properties of smectite up to 90C In situ X-ray diffraction experiments and molecular dynamic simulations 75
Kawamura, K., see Ichikawa, Y. 21
Kitayama, K., see Ichikawa, Y. 21
Kitayama, K., see Kawamura, K. 75
Kozaki, T., Sato, H., Sato, S. and Ohashi, H.
Diffusion mechanism of cesium ions in compacted montmorillonite 223

Lehikoinen, J., see Muurinen, A. 207
Liang, R.Y., Nusier, O.K. and Malkawi, A.H.

0013-7952/99/$ – see front matter © 1999 Elsevier Science B.V. All rights reserved.
PII: S0013-7952(99)00113-1

A reliability based approach for evaluating the slope stability of embankment dams 271
Lloret, A., see Romero, E. 117

Malkawi, A.H., see Liang, R.Y. 271
Mayoral, E., see Galán, E. 287
Mele, R., see Nunziata, C. 299
Minato, T., see Fukue, M. 43
Mitsui, S., see Kamei, G. 15
Molera, M., see Eriksen, T.E. 231
Moog, H.C., see Herbert, H.-J. 55
Murakami, Y., see Shi, B. 321
Muurinen, A. and Lehikoinen, J.
Porewater chemistry in compacted bentonite 207

Nakano, M., see Ichikawa, Y. 21
Nakano, M., see Kawamura, K. 75
Natale, M., see Nunziata, C. 299
Nunziata, C., Mele, R. and Natale, M.
Shear wave velocities and primary influencing factors of Campi Flegrei–Neapolitan deposits 299
Nusier, O.K., see Liang, R.Y. 271

Oda, C., see Kamei, G. 15
Ohashi, H., see Kozaki, T. 223

Peletier, M., see Grindrod, P. 159
Pusch, R.
Experience from preparation and investigation of clay microstructure 187
Pusch, R. and Schomburg, J.
Impact of microstructure on the hydraulic conductivity of undisturbed and artificially prepared smectitic clay 167
Pusch, R.
Microstructural evolution of buffers 33
Pusch, R.
Session II. Application od microstructural models 81
Pusch, R., see Sjöblom, R. 109

Riebe, B., see Bors, J. 195
Romero, E., Gens, A. and Lloret, A.
Water permeability, water retention and microstructure of unsaturated compacted Boom clay 117

Sato, H., see Kozaki, T. 223
Sato, S., see Kozaki, T. 223
Schomburg, J., see Pusch, R. 167
Sellin, P., see Horseman, S.T. 139
Shehata, W.M., see Al-Harthi, A.A. 313
Shi, B., Murakami, Y., Wu, Z., Chen, J. and Inyang, H.
Monitoring of internal failure evolution in soils using computerization X-ray tomography 321
Shibata, M., see Kamei, G. 15
Shinozaki, T., see Kamei, G. 15
Sjöblom, R., Kalbantner, P., Bjurström, H. and Pusch, R.
Application of the general microstructural model to erosion phenomena — mechanisms for the chemical–hydrodynamic conversion of bentonite to a pumpable slurry in conjunction with retrieval 109

Takase, H., see Gindrod, P. 159
Takase, H., see Grindrod, P. 215
Taya, N., see Fukue, M. 43
Thomas, H.R. and Cleall, P.J.
Inclusion of expansive clay behaviour in coupled thermo hydraulic mechanical models 93

Vaunat, J., see Alonso, E.E. 173
Villar, M.V.
Investigation of the behaviour of bentonite by means of suction-controlled oedometer tests 67

Wood, G.P., see Grindrod, P. 215
Wu, Z., see Shi, B. 321

Yong, R.N.
Overview of modeling of clay microstructure and interactions for prediction of waste isolation barrier performance 83
Yong, R.N.
Session I. Modeling of clay microstructure 1
Yong, R.N.
Soil suction and soil-water potentials in swelling clays in engineered clay barriers 3

ELSEVIER

Engineering Geology 54 (1999) 335–336

ENGINEERING GEOLOGY

# Subject Index Volume 54

Activation energy, 223
Adsorption, 15, 195
Anions and cations, 195

Basal spacings, 3
Bentonite, 21, 109, 139, 207, 231
Breakthrough, 151
Breakthrough pressure, 139
Brine, 55
Buffer, 207

Caesium, 231
Campi Flegrei–Neapolitan area, 299
Capillaries, 151
Cation, 231
Cation exchange, 55
Cesium ions, 223
Chalk, 237
Clay, 33, 43, 117, 129, 151, 187, 321
Clay barrier, 159
Clay buffer, 215
Clay mineral, 75
Cobalt, 231
Colloids, 159
Computerized X-ray tomography, 321
Coupled moisture movement, 83
Coupling, 215

Deformation, 321
Density, 33
Desorption, 15
Diffusion, 129, 223, 231
Dilation, 139
Dynamic properties, 313

Elasticity, 173
Electric conductivity, 43
Engineered barrier, 67
Engineered barrier system, 215
Engineering geology, 237
Engineering properties, 237
England, 237
Erosion, 109
Expansive soils and rocks, 173
Extensile strain, 139

Flow, 151
Fractured rock, 159
Fracturing, 139

Gas, 151
Gas migration, 139
Gas permeability, 139

Hardening, 299
High-level radioactive waste disposal, 21
Homogeneity, 167
Homogenization analysis, 21
Hydration, 215
Hydraulic conductivity, 33, 167

Image analysis technique, 313
In situ measurement, 75
Interlayer sorption, 3
Interlayer spacing, 55
Internal failure, 321
Ion exchange, 15

Leaching, 159
Limestone, 287

Málaga Cathedral, 287
Matric potential, 3
Mechanical interaction, 159
Membrane, 129
Mercury porosimetry, 117
Methodology, 287
Micro-structure, 43
Microscopy, 187
Microstructure, 33, 83, 109, 129, 167, 187
Microtomy, 187
Migration, 151
Model, 173
Modelling, 215
Molecular dynamics, 21
Molecular dynamic simulation, 75
Montmorillonite, 67, 223
MX-80, 55

Natural analogue, 15
Nuclear waste, 207

0013-7952/99/$ – see front matter © 1999 Elsevier Science B.V. All rights reserved.
PII: S0013-7952(99)00114-3

Numerical analysis, 21
Numerical modelling and analysis, 93

Oedometer test, 67
Organo-bentonite, 195
Osmotic potential, 3

Partial saturation, 93
Partly saturated flow, 83
Permeability, 129
Plasticity, 93, 173
Pore size distribution, 117
Pore space hierarchy, 83
Porewater, 207
Porosity, 313
Preparation, 187
Probability, 271
Pyroclastic materials, 299

Quarries location, 287

Radionuclides, 195
Reliability, 271
Resistivity, 43
Retention curve, 117
Reversibility, 195
Review, 237

Salt, 109
Sand, 321
Sandstone, 287
Seepage, 21
Shear band, 321
Shear wave velocities, 299
Slope, 271
Slurry, 109
Smectite, 15, 109, 129, 167
Sodium, 231
Soil-water potential, 83
Soil suction, 3
Soil water potentials, 3
Solubility, 207
Sorption, 231
Stability, 271
Static properties, 313
Stochastic, 151
Strontium, 231
Suction, 67, 117, 173
Swelling, 67, 173
Swelling pressure, 33, 139
Swelling property, 75

Temperature, 215

Uniaxial compressive strength, 313

Vesicular basalt, 313

Waste management, 223
Water content, 43
Water permeability, 117
Water uptake, 55

X-ray diffraction, 75